



Catálogo 2023

Linha de transceivers
cabos DAC & cabos AOC



01

Sobre nós

02

Compatibilidade

03

Certificações

04

Transceivers

18

Cabos DAC

21

Cabos AOC

23

Fale Conosco

Nós somos




Grupo de engenheiros de rede especializados

Com um amplo portfolio de produtos que vão desde cabos DACs e AOC até transceivers para os mais diversos tipos de produtos, vem se destacando no mercado pela qualidade de suas soluções.

Criada por um grupo de engenheiros especializados em projetos de redes e telecom, a é responsável por importar e disponibilizar ao mercado nacional e internacional o que há de mais seguro e confiável em ativos e passivos ópticos compatíveis com os principais fabricantes do mercado.

Compatibilidade com diversos fabricantes



* Possuímos compatibilidade com mais de 30 fabricantes, consulte nossa equipe

para mais informações

Nossas Certificações



Nossa empresa é certificada pelo ISO 9001, com garantia de otimização de processos e maior agilidade de desenvolvimento de produtos. ISO 20000 garante qualidade na gestão de serviços em TI em normas técnicas. Nossos produtos seguem todas as normas do RoHS, certificando que não utilizamos substâncias perigosas e prejudiciais a saúde em toda a nossa linha.

Produtos em destaque

400G QSFP-DD DR4 500M MPO

Modelo: PLEQD3140X-3MCD05

Wavelength: 1310nm

Data Rate: 400Gbps

Distance: 500m

Fiber Type: SM



100G QSFP28 ZR4 80KM LC Optical Transceiver

Modelo: PLEQ2xx10X-3LCD80

Wavelength: LAN-WDM

Data Rate: 100gbps

Distance: 80KM

Fiber Type: SM



10G SFP+ Copper-T RJ45 80m Transceiver

Modelo: PLES-T6-R

Connector: RJ45

Data Rate: 10Gbps

Distance: 80m



Linha 1.25G BiDi SFP & SFP



1.25G SFP SX 850nm 550M LC

Modelo: PLES8512-3LCD05
Wavelength: 850nm
Data Rate: 1.25Gbps
Distance: 550M
Fiber Type: MM



1.25G SFP LX 1310nm 2KM LC

Modelo: PLES3112-3LCD2
Wavelength: 1310nm
Data Rate: 1.25Gbps
Distance: 2KM
Fiber Type: SM



1.25G SFP LX 1310nm 10KM LC

Modelo: PLES3112-3LCD10
Wavelength: 1310nm
Data Rate: 1.25Gbps
Distance: 40KM
Fiber Type: SM



1.25G SFP LX 1310nm 20KM LC

Modelo: PLESBxxX-3LCD60
Wavelength: 1310nm
Data Rate: 1.25Gbps
Distance: 20KM
Fiber Type: SM



1.25G SFP EX 1310nm 40KM LC

Modelo: PLES3112-3LCD40
Wavelength: 1310nm
Data Rate: 1.25Gbps
Distance: 40km
Fiber Type: SM



1.25G SFP EX 1550nm 40KM LC

Modelo: PLES5512-3LCD40
Wavelength: 1550nm
Data Rate: 1.25Gbps
Distance: 40km
Fiber Type: SM

Linha 1.25G BiDi SFP & SFP



1.25G SFP ZX 1550nm 80KM LC

Modelo: PLES5512-3LCD80
Wavelength: 1550nm
Data Rate: 1.25Gbps
Distance: 80KM
Fiber Type: MM



1.25G SFP ZX 1550nm 110KM LC

Modelo: PLES5512-3LCD110
Wavelength: 1310nm
Data Rate: 1.25Gbps
Distance: 110KM
Fiber Type: SM



1.25G SFP ZX 1550nm 120KM LC

Modelo: PLES5512-3LCD120
Wavelength: 1550nm
Data Rate: 1.25Gbps
Distance: 40KM
Fiber Type: SM



1.25G SFP ZX 1550nm 160KM LC

Modelo: PLES5512-3LCD160
Wavelength: 1550nm
Data Rate: 1.25Gbps
Distance: 160KM
Fiber Type: SM



1.25G BiDi SFP TX1310 /RX1550nm 3KM LC

Modelo: PLESB3512-3LCD3
Wavelength: TX1310/RX1550nm
Data Rate: 1.25Gbps
Distance: 3km
Fiber Type: SM



1.25G BiDi SFP TX1550 /RX1310nm 3KM LC

Modelo: PLESB5312-3LCD3
Wavelength: TX1550/RX1310nm
Data Rate: 1.25Gbps
Distance: 30km
Fiber Type: SM

Linha 6G & 8G SFP+



8G SFP+ SR 850nm 300M LC

Modelo: PLES8585-3LCD03

Wavelength: 1310nm

Data Rate: 8gbps

Distance: 300M

Fiber Type: MM



8G SFP+ LRM 1310nm 2KM LC

Modelo: PLES3185-3LCD2

Wavelength: 1310nm

Data Rate: 8Gbps

Distance: 2KM

Fiber Type: SM



8G SFP+ LR 1310nm 10KM LC

Modelo: PLES3185-3LCD10

Wavelength: 1310nm

Data Rate: 8.5Gbps

Distance: 10KM

Fiber Type: SM



8G SFP+ 1310nm 25KM LC

Modelo: PLES3185-3LCD25

Wavelength: 1550nm

Data Rate: 8.5Gbps

Distance: 25KM

Fiber Type: SM



6G SFP+ LR 1310nm 10KM LC

Modelo: PLES3161-3LCD10

Wavelength: 1310nm

Data Rate: 6Gbps

Distance: 10KM

Fiber Type: SM

Linha 10G SFP+



10G SFP+ LRM 1310nm 220M LC

Modelo: PLES31X-3LCD02
Wavelength: 1310nm
Data Rate: 10Gbps
Distance: 220M



10G SFP+ SR 850nm 300M LC

Modelo: PLES85X-3LCD03
Wavelength: 850nm
Data Rate: 10Gbps
Distance: 300M



10G SFP+ LR 1310nm 10KM LC

Modelo: PLES31X-3LCD10
Wavelength: 1310nm
Data Rate: 10Gbps
Distance: 10KM



10G SFP+ LR 1310nm 20KM LC

Modelo: PLES31X-3LCD20
Wavelength: 1310nm
Data Rate: 10Gbps
Distance: 20KM
Fiber Type: SM



10G SFP+ ER 1310nm 40KM LC

Modelo: PLES31X-3LCD40
Wavelength: 1310nm
Data Rate: 10Gbps
Distance: 40KM
Fiber Type: SM



10G SFP+ ER 1550nm 40KM LC

Modelo: PLES2312X-3LCD40
Wavelength: 1550nm
Data Rate: 10Gbps
Distance: 40KM
Fiber Type: SM

Linha 10G SFP+



10G SFP+ ZR 1550nm 80KM LC

Modelo: PLES55X-3LCD80

Wavelength: 1550nm

Data Rate: 10Gbps

Distance: 80KM

Fiber Type: SM

10G SFP+ ZR 1550nm 100KM LC

Modelo: PLES55X-3LCD100

Wavelength: 1550nm

Data Rate: 10Gbps

Distance: 100km

Fiber Type: SM

Linha 10G BiDi SFP+



10G BiDi SFP+ 1270nm /1330nm 10KM LC

Modelo: PLESBxxX-3LCD10
 Wavelength: 1270/1330nm
 Data Rate: 10Gbps
 Distance: 10KM
 Fiber Type: SM



10G BiDi SFP+ 1270nm /1330nm 20KM LC

Modelo: PLESBxxX-3LCD20
 Wavelength: 1270/1310nm
 Data Rate: 10Gbps
 Distance: 20KM
 Fiber Type: SM



10G BiDi SFP+ 1270nm /1330nm 40KM LC

Modelo: PLESBxxX-3LCD40
 Wavelength: 1270/1330nm
 Data Rate: 10Gbps
 Distance: 40KM
 Fiber Type: SM



10G BiDi SFP+ 1270nm /1330nm 60KM LC

Modelo: PLESBxxX-3LCD60
 Wavelength: 1270/1330nm
 Data Rate: 10Gbps
 Distance: 60KM
 Fiber Type: SM



10G BiDi SFP+ 1490nm /1550nm 80KM LC

Modelo: PLESBxxX-3LCD80
 Wavelength: 1490/1550nm
 Data Rate: 10Gbps
 Distance: 80km
 Fiber Type: SM

Linha 16G SFP+



16G SFP+ SR 850nm 100M LC

Modelo: PLES85X6-3LCD01

Wavelength: 850nm

Data Rate: 16Gbps

Distance: 100M

Fiber Type: MM



16G SFP+ LR 1310nm 10KM LC

Modelo: PLES31X6-3LCD10

Wavelength: 1310nm

Data Rate: 16Gbps

Distance: 10km

Fiber Type: SM



16G SFP+ ER 1550nm 40KM LC

Modelo: PLES55X6-3LCD40

Wavelength: 1550nm

Data Rate: 16Gbps

Distance: 40km

Fiber Type: SM



16G BiDi SFP+ TX1270 /RX1330nm 10km LC

Modelo: PLESB23X6-3LCD10

Wavelength: 1270/1330nm

Data Rate: 16Gbps

Distance: 10KM

Fiber Type: SM



16G BiDi SFP+ TX1270 /RX1330nm 10km LC

Modelo: PLESB23X6-3LCD10

Wavelength: 1270/1330nm

Data Rate: 16Gbps

Distance: 10KM

Fiber Type: SM



16G BiDi SFP+ TX1330 /RX1270nm 10km LC

Modelo: PLESB32X6-3LCD10

Wavelength: 1270/1330nm

Data Rate: 16Gbps

Distance: 10KM

Fiber Type: SM

Linha 16G SFP+



16G BiDi SFP+ TX1270 /RX1330nm 20km LC

Modelo: PLESB23X6-3LCD20
 Wavelength: 1270/1330nm
 Data Rate: 16Gbps
 Distance: 20KM
 Fiber Type: MM



16G BiDi SFP+ TX1330 /RX1270nm 20km LC

Modelo: PLESB32X6-3LCD20
 Wavelength: 1270/1330nm
 Data Rate: 16Gbps
 Distance: 20km
 Fiber Type: SM



16G SFP+ CWDM 20KM LC

Modelo: PLESCxxX6-3LCD20
 Wavelength: CWDM
 Data Rate: 16Gbps
 Distance: 20km
 Fiber Type: SM



16G SFP+ CWDM 40KM LC

Modelo: PLESCxxX6-3LCD40
 Wavelength: 1270/1330nm
 Data Rate: 16Gbps
 Distance: 40KM
 Fiber Type: SM



16G SFP+ DWDM 40KM LC

Modelo: PLESDxxX6-3LCD40
 Wavelength: 1528.77-1563.86nm
 Data Rate: 16Gbps
 Distance: 40KM
 Fiber Type: SM

Linha 25G SFP28



25G SFP28 SR 850nm 100M LC

Modelo: PLES2852X-3LCD01

Wavelength: 850nm

Data Rate: 25Gbps

Distance: 100M

Fiber Type: MM



25G SFP28 LR 1310nm 10KM

Modelo: PLES2312X-3LCD10

Wavelength: 1310nm

Data Rate: 25Gbps

Distance: 10km

Fiber Type: SM



25G SFP28 ER 1310nm 40KM LC

Modelo: PLES2312X-3LCD40

Wavelength: 1310nm

Data Rate: 25Gbps

Distance: 40KM

Fiber Type: SM

Linha 32G SFP28



32G SFP28 SR 850nm 100M LC

Modelo: PLES2853X-3LCD01

Wavelength: 850nm

Data Rate: 32Gbps

Distance: 100M

Fiber Type: MM

32G SFP28 LR 1310nm 10KM LC

Modelo: PLES2313X-3LCD10

Wavelength: 1310nm

Data Rate: 32Gbps

Distance: 10km

Fiber Type: SM

32G SFP28 DWDM 10KM LC

Modelo: PLES2Dxx3X-3LCD10

Wavelength: DWDM

Data Rate: 32Gbps

Distance: 10km

Fiber Type: SM

Linha 40G QSFP+



40G QSFP+ LR4 2KM LC

Modelo: PLEQxx4X-3LCD2
Wavelength: CWDM
Data Rate: 40Gbps
Distance: 2KM
Fiber Type: SM



40G BiDi QSFP+ SR4 100M LC

Modelo: PLEQBxx4X-3LCD01
Wavelength: 850nm & 900nm
Data Rate: 40Gbps
Distance: 100M
Fiber Type: MM



40G QSFP+ ESR4 300M/400M MPO

Modelo: PLEQ854X-3MCD03
Wavelength: 850nm
Data Rate: 40Gbps
Distance: 300M/400M
Fiber Type: MM



40G QSFP+ PSM4 2KM MPO

Modelo: PLEQ314X-3MCD2



40G QSFP+ LR4 2KM LC


Modelo: PLEQxx4X-3LCD2



40G QSFP+ LR4 10KM LC

Modelo: PLEQxx4X-3LCD10

Linha 40G QSFP+



40G QSFP+ PSM4 10KM MPO

Modelo: PLEQ314X-3MCD10
 Wavelength: 1310nm
 Data Rate: 40Gbps
 Distance: 10KM
 Fiber Type: SM




40G QSFP+ ER4 40KM LC

Modelo: PLEQxx4X-3LCD40
 Wavelength: WDM
 Data Rate: 40Gbps
 Distance: 40km
 Fiber Type: SM



40G QSFP+ ER4 40KM LC

Modelo: PLEQxx4X-3LCD60
 Wavelength: CWDM
 Data Rate: 40Gbps
 Distance: 60km
 Fiber Type: SM




40G QSFP+ ER4 30KM LC

Modelo: PLEQxx4X-3LCD30
 Wavelength: CWDM
 Data Rate: 40Gbps
 Distance: 30KM
 Fiber Type: SM



40G QSFP+ ZR4 80KM LC

Modelo: PLEQxx4X-3LCD80
 Wavelength: WDM
 Data Rate: 40Gbps
 Distance: 80KM
 Fiber Type: SM



40Gbps QSFP to 10G SFP+

Modelo: PLEQSX-CVR
 Wavelength: CWDM
 Data Rate: 40Gbps to 10Gbps

Linha 40G QSFP+



40G QSFP+ LR4 2KM LC

Modelo: PLEQxx4X-3LCD2
Wavelength: CWDM
Data Rate: 40Gbps
Distance: 2KM
Fiber Type: SM



40G BiDi QSFP+ SR4 100M LC

Modelo: PLEQBxx4X-3LCD01
Wavelength: 850nm & 900nm
Data Rate: 40Gbps
Distance: 100M
Fiber Type: MM



40G QSFP+ ESR4 300M/400M MPO

Modelo: PLEQ854X-3MCD03
Wavelength: 850nm
Data Rate: 40Gbps
Distance: 300M/400M
Fiber Type: MM



40G QSFP+ PSM4 2KM MPO

Modelo: PLEQ314X-3MCD2
Wavelength: 1310nm
Data Rate: 40Gbps
Distance: 2KM
Fiber Type: SM



40G QSFP+ LR4 2KM LC

Modelo: PLEQxx4X-3LCD2
Wavelength: CWDM
Data Rate: 40Gbps
Distance: 2KM
Fiber Type: SM



40G QSFP+ LR4 10KM LC

Modelo: PLEQxx4X-3LCD10
Wavelength: CWDM
Data Rate: 40Gbps
Distance: 10KM
Fiber Type: SM

Linha 100G QSFP28



100G QSFP28 SR4 100M MPO

Modelo: PLEQ28510X-3MCD01
 Wavelength: 850nm
 Data Rate: 100Gbps
 Distance: 100M
 Fiber Type: MM



100G QSFP28 CLR4 2KM LC

Modelo: PLEQ2xx10X-3LCD2
 Wavelength: CWDM
 Data Rate: 100Gbps
 Distance: 2KM
 Fiber Type: SM



100G QSFP28 PSM4 2KM MPO

Modelo: PLEQ23110X-3MCD2
 Wavelength: 1310nm
 Data Rate: 100Gbps
 Distance: 2KM
 Fiber Type: SM



100G QSFP28 LR4 10KM LC

Modelo: PLEQ2xx10X-3LCD10
 Data Rate: 100Gbps
 Distance: 10KM
 Fiber Type: LC



100G QSFP28 ER4 30KM LC

Modelo: PLEQ2xx10X-3LCD30
 Wavelength: 295.56, 1300.05, 1304.58, 1309.14nm
 Data Rate: 100Gbps
 Distance: 30KM
 Fiber Type: SM



100G QSFP28 ER4 40KM LC

Modelo: PLEQ2xx10X-3LCD40
 Wavelength: 1295.56, 1300.05, 1304.58, 1309.14nm
 Data Rate: 100Gbps
 Distance: 40KM
 Fiber Type: SM

Produtos em destaque

400G QSFP-DD DAC Series

Modelo: PEQDDP40X-330CNxx

Connector: QSFP-DD

Data Rate: 400Gbps



200G QSFP56 AOC Series

Modelo: PLEQ5A20X-33CDxx

Wavelength: 850nm

Data Rate: 200Gbps

Connector: QSFP56

Fiber Type: SM



Linha de Cabos DAC



10G SFP+ TO SFP+ DAC Series

Modelo: PLESDPX-330CNxx

Data Rate: 10Gbps

Fiber Type: 30~24#Cable



25G SFP28 TO SFP28 DAC Series

Modelo: PLES2DP2X-330CNxx

Data Rate: 25Gbps



40G QSFP+ TO QSFP+ DAC Series

Modelo: PLEQDP4X-330CNxx

Data Rate: 40Gbps



40G QSFP+ TO 4*SFP+ DAC Series

Modelo: PLEQDP4X-34SCNxx

Data Rate: 40Gbps



56G QSFP+ TO QSFP+ DAC Series

Modelo: PLEQDP5X-33CNxx

Data Rate: 56Gbps



100G QSFP28 TO QSFP28 DAC Series

Modelo: PLEQ2DP10X-330CNxx

Data Rate: 100Gbps

Linha de Cabos DAC



100G QSFP28 TO 4*SFP28 DAC Series

Modelo: PLEQ2DP10X-34S2CNxx

Data Rate: 100Gbps



400G QSFP-DD DAC Series

Modelo: PLEQDDP40X-330CNxx

Data Rate: 400Gbps



100G QSFP28 to 2x 50G QSFP28 Copper Breakout Cable

Modelo: PLEQ2DP10X-34S2CNxx

Data Rate: 100Gbps



200G QSFP56 TO QSFP56 DAC Series

Modelo: PLEQ5DP20X-330CNxx

Data Rate: 200Gbps



56G QSFP+ TO QSFP+ DAC Series

Modelo: PLEQ5DP20X-330CNxx

Data Rate: 200Gbps

Linha de Cabos AOC



10G SFP+ TO SFP+ AOC Series

Modelo: PLESAX-32CDxx

Data Rate: 10Gbps

Distance: 1M~300M



25G SFP28 TO SFP28 AOC Series

Modelo: PLES2A2X-33CDxx

Data Rate: 25Gbps



40G QSFP+ TO QSFP+ AOC Series

Modelo: PLEQ2DP10X-34S2CNxx

Data Rate: 100Gbps



40G QSFP+ TO 4*SFP+ AOC Series

Modelo: PLEQA4X-34S3CDxx

Data Rate: 40Gbps



40G QSFP+ TO 4*LC AOC Series

Modelo: PLEQA4X-343LCDxx

Data Rate: 40Gbps

Fiber Type: MM



56G QSFP+ TO QSFP+ AOC Series

Modelo: PLEQA5X-33CDxx

Data Rate: 56Gbps

Distance: 1-15m

Wavelength: 850nm

Linha de Cabos AOC



200G QSFP56 AOC Series

Modelo: PLEQ5A20X-33CDxx

Data Rate: 200Gbps

Connector: QSDP56

Wavelength: 850nm



100G QSFP28 TO QSFP28 AOC Series

Modelo: PLEQ2A10X-33CDxx

Data Rate: 100Gbps

Connector: MPO

Wavelength: 1310nm

Distance: 1 - 300M

Fale com um de nossos consultores

Possuímos um time de especialistas prontos para auxiliá-lo nas melhores soluções para o seu projeto de redes independente do segmento ou localidade, atuamos em todo o Brasil.

Email: comercial@zonewifi.com.br




Telefone: (11) 94757-4312



**Clientes em
12 estados brasileiros**

(CE, BA, ES, RS, SC, PR, SP, RJ, GO,
DF, PE, RN)



Centro de distribuição

Chapecó - SC

